




| index |



# *index*

4:1:1 and 4:2:2 digital component, 26, 109  
8 mm tape, 23

## **A**

action safe area, 148–149

Adobe After Effects

action and title safe areas, 149

alpha channels, 161

audio levels, 247

chroma keying, 109

effects

audio, 254

video, 219–222

export settings, 265

importing files, 203

layers, 233–237

markers, 249

motion, 240–242

photograph panning, 132–135

presets, 177–178

rendering, 261, 270

timeline, 206–207

transitions, 211–213

vector graphics, 153–155

video capture alternatives, 180

Adobe Illustrator, 148, 153–155

Adobe Photoshop


alpha channels, 157–159

color correction, 119–120, 149

compression, 118–119

cropping and resizing, 123–129

matting, 130–131



- Adobe Premiere Pro
    - alpha channels, 160
    - audio interleave, 164
    - audio levels, 163, 248
    - chroma keying, 109–110
    - device control, 184
    - effects
      - audio, 255
      - video, 225–227
    - exporting, 268–269, 273
    - importing files, 205
    - in and out points, 193–195
    - layers, 238–239
    - markers, 250
    - motion, 244–246
    - photograph panning, 141–143
    - presets, 179, 187
    - rendering, 262, 270
    - scratch disks, 181
    - timeline, 209
    - tracks, unlinking, 252
    - transitions
      - audio, 253
      - video, 216–218
  - Alberino, Robert, 53
  - alpha channels
    - creating, 157–161
    - general use, 155–156
    - layering, 158, 232
    - premultiplied, or matted, 157
    - straight, or unmatted, 157
  - analog video
    - consumer tape formats, 23
    - vs. digital video, 3, 22
    - linear editing, 4–5
    - professional tape formats, 25
    - prosumer tape formats, 24
  - antagonist, 65
  - aperture, 32, 100
  - Apple's Final Cut Pro
    - alpha channels, 160
    - audio levels, 163, 247–248
    - color correction, 188
    - device control, 183
    - effects
      - audio, 254–255
      - video, 218, 223–225
    - exporting, 266–267, 272
    - importing files, 204
    - in and out points, 189–192
    - layers, 237–238
    - markers, 249
    - motion, 243–244
    - photograph panning, 136–140
    - presets, 178–179, 185–186
    - rendering, 261, 270
    - scratch disks, 181
    - timeline, 208
    - titling (LiveType), 148
    - tracks, unlinking, 251
    - transitions
      - audio, 253
      - video, 213–215
  - aspect ratio, 9, 34, 121, 263
  - ATA (Advanced Technology Attachment), 46
  - audio
    - cables, 96–97
    - compression, 165
    - effects, 254–255
    - file formats, 165
    - interleave, or audio block size, 164, 264
    - levels, 163, 187–188, 246–248
    - markers, 246–249
    - microphones, 95
    - music, 165, 246–248
    - presets, 177–179, 185–187
    - render settings, 264
    - sample rate, 164
    - synch (synchronization), 162
    - unlinking from video, 250–253
- B**
- back light, 106
  - barndoors, 92
  - batch capture, 189
  - battery memory, 87
  - Betacam SP, 25
  - Betacam SX, 29
  - bluescreen, 73, 107–110
  - BNC connectors, 96
  - booms, 95
  - breakout box, 174–176
  - broadcast digital video, 15–16

**C**

cables, 96–97  
 cache, 45  
 CCD (charge-coupled device), 3, 27–30  
 CD (compact disc), 4–5  
 CD-R (recordable compact disc), 56  
 chroma keying, 107–110  
 chrominance, 7, 26  
 CMYK (cyan, magenta, yellow, black), 7, 116  
 CODEC (Compression/Decompression)  
   photographs, 114, 118–119  
   video, 55, 263  
 color  
   broadcast safe, 149  
   color depth, 15–17, 114, 117  
   correction, 119–120, 187–188  
   electromagnetic spectrum, 106  
   filters, 86–87  
   gels, 92–93  
   RGB and CMYK, 116  
   spectral energy distribution curve, 92  
   temperature, 33, 91, 102  
   tips on, 94, 141  
 compact disc (CD), 4–5  
 component video, 7–8, 22  
 composite video, 7–8, 22  
 compression  
   audio files, 165, 264  
   photographs, 114, 118–119  
   video files, 55, 263  
 CPU (central processing unit), 44  
 creativity advice, 69, 152  
 credits, 148

**D**

DAT (digital audio tape), 56  
 data, backing up, 56–57  
 DDR (digital disc recorder), 3  
 decibels (dB), 246–248  
 depth of field, 100  
 desktop video, 4–5  
 device control, 182–184  
 digital disc recorder (DDR), 3  
 digital still store device (DSS), 3  
 digital television (DTV), 10

digital video (DV)  
   4:1:1 digital component, 26, 109  
   4:2:2 digital component, 26, 109  
   advantages, 5–6  
   vs. analog video, 3, 22  
   file size, 14–17  
   filmmaking, 14  
   history, 3–7  
   nonlinear editing, 4  
   product guide. *See Appendix C*  
   rendering, 15, 44–45, 260–270  
   resources. *See Appendix A*  
   sampling, 26  
   standards  
     broadcast, 15–16  
     DV, 25–26  
     Internet, 17, 263  
     multimedia, 16–17  
     video, 8–9  
   tape formats, 27–29  
   troubleshooting guide. *See Appendix B*  
 digital video cameras  
   accessories, 36, 95–98  
   batteries, 87  
   connecting to a computer via FireWire, 170–171  
   exposure modes, 32  
   filters, 86–87  
   LCD displays, 88  
   lenses, 31–32, 86  
   lighting, 33  
   purchasing equipment, 37, 42–44  
   shooting, 98–103  
   special features, 29–31, 34–36  
   still photograph feature, 115–116  
 digital video computer editing systems  
   backing up, 56–57  
   cache, 45  
   capturing video, 170–176  
   chroma keying, 107–110  
   device control, 182–184  
   effects  
     audio, 254–255  
     video, 218–227  
   file formats, 162  
   FireWire and video cards, 54–55, 170–176  
   hard drives, 46–49

digital video computer editing systems (*continued*)

- importing files, 202–205
- in and out points, 188–195
- layers, 232–239
- levels
  - audio, 163, 187–188, 246–248
  - video, 149, 187–188
- markers, 246, 248–250
- memory (RAM), 45–46
- motion, 239–246
- outputting to tape, 271–273
- presets, 177–179, 185–187
- processors and rendering, 44–46
- project file organization, 200–202
- rendering, 260–270
- researching, purchasing, and upgrading, 42–44
- scratch disks, 180–181
- tracks, unlinking, 250–252
- transitions
  - audio, 252–253
  - video, 210–218
- digital video disc (DVD), 2, 57
- digital video effects system (DVE), 3
- Digital Video Professionals Association (DVPA), 228–231
- digital video recorder (DVR), 3
- Digital-8, 27
- Digital-S, 29
- dollies, 90
- downloadable video, 17
- dpi (dots per inch), 16, 117–118
- drop out, 6
- drop-frame timecode, 189
- dropped frames, 180
- DSS (digital still store device), 3
- DTV (digital television), 10
- DV Profiles
  - Digital Video Professionals Association (DVPA)
    - Rod Harlan, 228–231
  - Eagles Television Network, ETN, 50–53
    - Dana Heberling, 51
    - Robert Alberino, 53
    - Ron Schindlinger, 52
  - Greater Philadelphia Film Office
    - Sharon Pinkenson, 11–13
  - Rowan University
    - Ned Eckhardt, 74–77
  - Tommy Productions
    - Tommy Rosa, 104–105

- DVCAM, 28
- DVCPRO, 28
- DVCPRO 50, 29
- DVD (digital video disc), 2, 57
- DVE (digital video effects system), 3
- DV-NTSC, 55, 262–264
- DVR (digital video recorder), 3

**E**

- Eagles Television Network, ETN, 50–53
- Eckhardt, Ned, 74–77
- effects
  - audio, 254–255
  - video, 218–227
- electromagnetic spectrum, 106
- exposures, 32, 100–101

**F**

- fast-start (progressive download), 17
- FCC (Federal Communications Commission), 10
- field, 9
- file formats, 162, 165
- fill light, 106
- filmmaking
  - camera notes, 103
  - camera setups, 78–79
  - camera shots, 70–73
  - composition and framing, 98–99
  - digital, 14, 35
  - equipment, 86–98
  - release forms and permits, 80–81
  - script writing, 62–68
  - shooting, 98–103
  - storyboards, 70
- filters. *See also* effects
  - camera, 86–87
  - gels, 92–93
- Final Cut Pro. *See* Apple's Final Cut Pro
- FireWire (IEEE 1394)
  - cables, 6, 97
  - capturing video, 170–173
  - exporting video, 271
  - technology, 6–7, 54
- fluorescent lights, 91
- focus, 99–100
- fonts, 150

## fps (frames per second)

- digital filmmaking, 14, 35
- drop-frame timecode, 189
- dropped frames, 180
- field, 9
- frame rate, 15–17, 264
- nondrop-frame timecode, 189
- NTSC standard, 8–9

## fragmentation, 48

## frame rate, 15–17, 264

## f-stops, 32, 93, 100

## full-motion video, 16

## full-screen video, 15

**G**

## gels (filters), 92–93

## generation loss, 6

## gobos and rotators, 93

## graphics

- alpha channels, 155–161
- file formats, 162
- three-dimensional graphics, 155
- two-dimensional graphics, 153
- vector-based graphics, 153–155

## graphics cards, 3

## Greater Philadelphia Film Office, 11–13

## greenscreen, 73, 107–110

**H**

## hard drives, 46–49

## Harlan, Rod, 228–231

## HDTV (high-definition television), 9–10, 14, 16

## HDV (high-definition video), 10

## headroom, 73

## Heberling, Dana, 51

## Hi-8, 24

## high-definition television (HDTV), 9–10, 14, 16

## high-definition video (HDV), 10

## HMI lights, 91

## hot audio, 163, 188

## hot swappable, 171

## hue, 7

**I**

## IDE (Integrated Drive Electronics), 46

## IEEE (Institute of Electrical and Electronics Engineers), 54

IEEE 1394. *See* FireWire (IEEE 1394)

## i.LINK (Sony), 54

ILM (Industrial Light & Magic). *See color insert*

## interlaced video, 9

## interleave (audio block size), 164, 264

## Internet, 17, 263

## iris, 32

**K**

## key light, 106

## keyframes, 132, 239

**L**

## lamps, 91

## Landa, Robin, 69

## layers

- and alpha channels, 158, 232
- creating, 232–239
- importing, 206

## LCD displays, 88

## leadroom, 73

## lenses, 31–32, 86

## lights and lighting

- accessories, 93
- bluescreen or greenscreen, 73, 107–110
- color temperature, 91
- gels, or color filters, 92–93
- kits, 92
- three-point (triangle) lighting, 106
- tips on, 107
- types of, 90–92

## linear editing, 4–5

## lines of resolution, 9, 22

## lpi (lines per inch), 16

Lucasfilm. *See color insert*

## luminance, 7, 26

## lux, 33

**M**

Mac vs. PC, 7  
 markers, 246, 248–250  
 matting photographs, 129–131  
 memory (computer)  
   hard drives, 46–49  
   RAM, 45–46  
 Meyers, Fred. *See color insert, Appendix D*  
 microphones, 31, 95  
 Mini-DV, 10, 27  
 monitors  
   capturing video, 170–176  
   while shooting video, 103  
   video monitors, 88, 172–176  
   waveform monitor, 16, 187–188  
 motion, 45, 239–246  
 MPEG(-2), 10, 55  
 multimedia, 16–17  
 music, 165, 246–248

**N**

neutral density (ND) filter, 33  
 nondrop-frame timecode, 189  
 noninterlaced (progressive) video, 9  
 nonlinear editing, 4, 5  
 NTSC (National Television Standards Committee),  
   8–9

**O**

over the shoulder (OTS) shot, 72  
 overscan, 88

**P**

PAL (Phase Alternate Line), 8  
 Palatini, Richard, 94  
 paradigm of a drama, 66–67  
 partitioning, 49  
 pass-through option, 35  
 PC vs. Mac, 7  
 Philadelphia Eagles, 50–53

## photographs

  acquiring methods, 114–116  
   color correction, 119–120  
   compression of (CODEC), 114, 118–119  
   cropping and resizing  
     and alpha channels, 158  
     aspect ratio, 121  
     horizontal method, 122–125  
     matting, 129–131  
     panning, 131–143  
     shape differences, 120  
     vertical method, 126–129  
   image quality, 114  
   resolutions, 114–117  
   scanning and importing, 116–120  
 Pinkenson, Sharon, 11–13  
 pixel aspect ratio, 263  
 pixels, 9, 14, 114, 263  
 point of view (POV) shot, 72  
 ppi (pixels per inch), 16  
 preproduction, 61–73  
 prime lens, 31  
 principle of random access, 5  
 processors, 44  
 production schedules, 78–80  
 project file, 200–205, 260  
 proposals for scripts, 62  
 prosumer, 8  
 protagonist, 65

**Q**

QuickTime, 4, 55, 185, 262

**R**

rack focus technique, 99  
 RAID (redundant array of inexpensive disks), 47  
 RAM (random-access memory), 5, 45–46  
 random access, principle, 5  
 rasterization, 153–155  
 RCA connectors, 97  
 real-time video editing, 55  
 release forms, 80–81  
 rendering video, 15, 44–45, 260–270  
 resolution  
   photographs, 114–117  
   NTSC standards, 8–9  
   video frame, 14–17

RGB (red, green, blue), 7, 116  
 Rosa, Tommy, 104–105  
 Rowan University, 74–77  
 RPMs (revolutions per minute), 46

## S

sampling  
   audio, 164  
   video, 26  
 sans-serif fonts, 150  
 saturation, 7  
 Schindlinger, Ron, 52  
 scratch disks, 180–181  
 screenplays  
   paradigm of a drama, 66–67  
   premise, 65  
   sample format, 63–64  
   types of conflict, 65  
 scrim, 93  
 script writing  
   proposals, 62  
   screenplays, 63–67  
   television scripts, 67  
   treatments, 62  
   voice-over scripts, 67–68  
 SCSI (Small Computer System Interface), 46  
 SCSI accelerator card, 47, 180  
 SDI (serial digital interface), 171  
 SECAM (Systeme Electronique Pour Couleur Avec Memoire), 8  
 seek time, 46  
 serif fonts, 150  
 shot sheets, 78  
 shots, types of, 70–73, 78–79  
 shutter speed, 32, 100  
 Sickinger, Michael, 152  
 Snow, Ben. *See color insert, Appendix E*  
 softbox, 93  
 source files, 200–202  
 spectral energy distribution curve, 92  
*Star Wars. See color insert*  
 storyboards, 70–73  
 streaming video, 17  
 S-VHS (Super-VHS), 24  
 S-video, 7–8, 22, 96  
 synch (synchronization), 162

## T


tape formats  
   consumer, 23, 27  
   DAT, 56  
   professional, 25, 28–29  
   prosumer, 24, 27–28  
 television scripts, 67  
 test render, 269  
 three-dimensional graphics, 155  
 three-point (triangle) lighting, 106  
 timecode  
   breaking, 182  
   camera notes, 103  
   drop-frame timecode, 189  
   in and out points, 188–195  
   nondrop-frame timecode, 189  
   voice-over script, 68  
   writing, 31  
 timelines, 205–209  
 title safe area, 148–149  
 titles  
   adding motion, 239–245  
   alpha channels, 155–161  
   broadcast colors, 149  
   safe areas, 148  
   serif and sans-serif fonts, 150  
 Tommy Productions, 104–105  
 transfer rate, 46  
 transitions, 45, 210–218, 252–253  
 treatments for scripts, 62  
 tripods, 89–90, 101  
 tungsten lights, 91  
 two-dimensional graphics, 153

## U

ultraviolet filter, 87  
 underscan, 88  
 USB cable/port, 170

## V

vector-based graphics, 153–155  
 vectorscope, 16, 187–188  
 VHS videotape, 2, 6, 23–29  
 VHS-C, 23  
 video cards, 3, 54–55, 173–176  
 voice-over scripts, 67–68  
 V-RAM (video RAM), 46



## **W**

- waveform, 246
- waveform monitor, 16, 187–188
- white balance, 33, 102
- widescreen mode, 34

## **X**

- XLR connector, 95

## **Y**

- Y splitter, 97

## **Z**

- zebra display, 35
- zoom lens, 31–32

